

## **SECTION 1001 ADMINISTRATION**

### **1001.1 General**

### **1001.2 Minimum requirements**

### **[F] 1001.3 Maintenance**

## **SECTION 1002 DEFINITIONS**

### **1002.1 Definitions**

## **SECTION 1003 GENERAL MEANS OF EGRESS**

### **1003.1 Applicability**

### **1003.2 Ceiling height**

Exceptions

### **1003.3 Protruding objects**

#### **1003.3.1 Headroom**

Exception

#### **1003.3.2 Post-mounted objects**

#### **1003.3.3 Horizontal projections**

Exception

#### **1003.3.4 Clear width**

### **1003.4 Floor surface**

### **1003.5 Elevation change**

Exceptions

### **1003.6 Means of egress continuity**

### **1003.7 Elevators, escalators and moving walks**

## **SECTION 1004 OCCUPANT LOAD**

### **1004.1 Design occupant load**

#### **1004.1.1 Areas without fixed seating**

Exception

Table 1004.1.1 Maximum Floor Area Allowances  
per Occupant

### **1004.2 Increased occupant load**

### **1004.3 Posting of occupant load**

### **1004.4 Exiting from multiple levels**

### **1004.5 Egress convergence**

### **1004.6 Mezzanine levels**

### **1004.7 Fixed Seating**

### **1004.8 Outdoor areas**

Exceptions

### **1004.9 Multiple occupancies**

## **SECTION 1005 EGRESS WIDTH**

### **1005.1 Minimum required egress width**

Exception

### **1005.2 Door encroachment**

Exception

### **1005.3 Door hardware encroachment**

## **SECTION 1006 MEANS OF EGRESS**

### **ILLUMINATION**

### **1006.1 Illumination required**

Exceptions

### **1006.2 Illumination level**

Exception

### **1006.3 Illumination emergency power**

### **1006.4 Performance of system**

## **SECTION 1007 ACCESSIBLE MEANS OF EGRESS**

### **1007.1 Accessible means of egress required**

Exceptions

### **1007.2 Continuity and components**

Exceptions

#### **1007.2.1 Elevators required**

Exceptions

### **1007.3 Stairways**

Exceptions

### **1007.4 Elevators**

Exceptions

### **1007.5 Platform lifts**

#### **1007.5.1 Openness**

### **1007.6 Areas of refuge**

Exceptions

#### **1007.6.1 Size**

#### **1007.6.2 Separation**

Exception

#### **1007.6.3 Two-way communication**

### **1007.7 Exterior area for assisted rescue**

#### **1007.7.1 Openness**

#### **1007.7.2 Exterior exit stairway**

### **1007.8 Two-way communication**

Exceptions

#### **1007.8.1 System requirements**

#### **1007.8.2 Directions**

### **1007.9 Signage**

### **1007.10 Directional signage**

### **1007.11 Instructions**

## SECTION 1008 DOORS, GATES AND TURNSTILES

### 1008.1 Doors

#### 1008.1.1 Size of doors

Exceptions

1008.1.1.1 Projections into clear width

Exception

#### 1008.1.2 Door swing

Exceptions

#### 1008.1.3 Door opening force

1008.1.3.1 Location of applied forces

#### 1008.1.4 Special doors

##### 1008.1.4.1 Revolving doors

Table 1008.1.4.1 Revolving Door Speeds

1008.1.4.1.1 Egress component

1008.1.4.1.2 Other than egress component

Exception

##### 1008.1.4.2 Power-operated doors

Exceptions

##### 1008.1.4.3 Horizontal sliding doors

##### 1008.1.4.4 Access-controlled egress doors

##### 1008.1.4.5 Security grilles

#### 1008.1.5 Floor elevation

Exceptions

#### 1008.1.6 Landings at doors

Exception

#### 1008.1.7 Thresholds

Exception

#### 1008.1.8 Door arrangement

Exception

#### 1008.1.9 Door operations

##### 1008.1.9.1 Hardware

##### 1008.1.9.2 Hardware height

Exception

##### 1008.1.9.3 Locks and latches

##### 1008.1.9.4 Bolt locks

Exceptions

##### 1008.1.9.5 Unlatching

Exceptions

1008.1.9.5.1 Closet and bathroom doors in

Group R-4 occupancies

##### 1008.1.9.6 Special locking arrangements in

Group I-2

##### 1008.1.9.7 Delayed egress locks

Exception

##### 1008.1.9.8 Electromagnetically locked egress doors

##### 1008.1.9.9 Locking arrangements in correctional facilities

##### 1008.1.9.10 Stairway doors

Exceptions

#### 1008.1.10 Panic and fire exit hardware

Exception

1008.1.10.1 Installation

1008.1.10.2 Balanced Doors

### 1008.2 Gates

Exception

1008.2.1 Stadiums

### 1008.3 Turnstiles

Exception

1008.3.1 High turnstile

1008.3.2 Additional door

## SECTION 1009 STAIRWAYS

### 1009.1 Stairway width

Exceptions

### 1009.2 Headroom

Exceptions

### 1009.3 Walkline

### 1009.4 Stair treads and risers

1009.4.1 Dimension reference surfaces

1009.4.2 Riser height and tread depth

Exceptions

1009.4.3 Winder treads

Exceptions

1009.4.4 Dimensional uniformity

Exceptions

1009.4.5 Profile

Exceptions

### 1009.5 Stairway landings

Exception

### 1009.6 Stairway construction

1009.6.1 Stairway walking surface

1009.6.2 Outdoor conditions

1009.6.3 Enclosures under stairways

Exception

### 1009.7 Vertical rise

Exceptions

### 1009.8 Curved stairways

Exceptions

### 1009.9 Spiral stairways

### 1009.10 Alternating tread devices

1009.10.1 Handrails of alternating tread devices

1009.10.2 Treads of alternating tread devices

Exception

### 1009.11 Ship ladders

### 1009.12 Handrails

### 1009.13 Stairway to roof

1009.13.1 Roof access

Exception

1009.13.2 Protection at roof hatch openings

### 1009.14 Stairway to elevator equipment

## SECTION 1010 RAMPS

### 1010.1 Scope

Exceptions

### 1010.2 Slope

Exception

### 1010.3 Cross slope

### 1010.4 Vertical rise

### 1010.5 Minimum dimensions

1010.5.1 Width

1010.5.2 Headroom

1010.5.3 Restrictions

### 1010.6 Landings

1010.6.1 Slope

1010.6.2 Width

1010.6.3 Length

Exceptions

1010.6.4 Change in direction

Exception

1010.6.5 Doorways

### 1010.7 Ramp construction

1010.7.1 Ramp surface

1010.7.2 Outdoor conditions

### 1010.8 Handrails

Exception

### 1010.9 Edge protection

Exceptions

1010.9.1 Curb, rail, wall or barrier

1010.9.2 Extended floor or ground surface

### 1010.10 Guards

## SECTION 1011 EXIT SIGNS

### 1011.1 Where required

Exceptions

### 1011.2 Illumination

Exception

### 1011.3 Tactile exit signs

### 1011.4 Internally illuminated exit signs

### 1011.5 Externally illuminated exit signs

1011.5.1 Graphics

1011.5.2 Exit sign illumination

1011.5.3 Power source

Exception

## SECTION 1012 HANDRAILS

### 1012.1 Where required

### 1012.2 Height

### 1012.3 Handrail graspability

Exception

1012.3.1 Type I

1012.3.2 Type II

### 1012.4 Continuity

Exceptions

### 1012.5 Fittings

### 1012.6 Handrail extensions

Exceptions

### 1012.7 Clearance

### 1012.8 Projections

### 1012.9 Intermediate handrails

## SECTION 1013 GUARDS

### 1013.1 Where required

Exception

1013.1.1 Glazing

### 1013.2 Height

Exceptions

### 1013.3 Opening limitations

Exceptions

### 1013.4 Screen porches

### 1013.5 Mechanical equipment

### 1013.6 Roof access

## SECTION 1014 EXIT ACCESS

### 1014.1 General

### 1014.2 Egress through intervening spaces

Exception

Exception

#### 1014.2.1 Multiple tenants

Exception

#### 1014.2.2 Group I-2

Exception

#### 1014.2.3 Suites in patient sleeping areas

1014.2.3.1 Area

1014.2.3.2 Exit access

1014.2.3.3 Travel distance

#### 1014.2.4 Suites in areas other than patient sleeping areas

1014.2.4.1 Area

1014.2.4.2 Exit access

1014.2.4.3 One intervening room

1014.2.4.4 Two intervening rooms

#### 1014.2.5 Exit access through suites

#### 1014.2.6 Travel distance

#### 1014.2.7 Separation

### 1014.3 Common path of egress travel

Exceptions

## SECTION 1015 EXIT AND EXIT ACCESS

### DOORWAYS

#### 1015.1 Exits or exit access doorways from spaces

Table 1015.1 Spaces with One Exit or Exit Access  
Doorway

Exception

1015.1.1 Three or more exits or exit access doorways

#### 1015.2 Exit or exit access doorway arrangement

1015.2.1 Two exits or exit access doorways

Exceptions

1015.2.2 Three or more exits or exit access doorways

#### 1015.3 Boiler, incinerator and furnace rooms

#### 1015.4 Refrigeration machinery rooms

#### 1015.5 Refrigerated rooms or spaces

Exception

#### 1015.6 Stage means of egress

1015.6.1 Gallery, gridiron and catwalk means of egress

Exceptions

## SECTION 1016 EXIT ACCESS AND TRAVEL DISTANCE

### 1016.1 Travel distance limitations

Table 1016.1 Exit Access Travel Distance

Exceptions

### 1016.2 Exterior egress balcony increase

## SECTION 1017 AISLES

### 1017.1 General

Exception

### 1017.2 Aisles in Groups B and M

Exception

### 1017.3 Aisle accessways in Group M

Exception

### 1017.4 Seating at tables

Exception

1017.4.1 Aisle accessway for tables and seating

1017.4.2 Table and seating accessway width

Exception

1017.4.3 Table and seating aisle accessway length

## SECTION 1018 CORRIDORS

### 1018.1 Construction

Table 1018.1 Corridor Fire-Resistance Rating

Exceptions

### 1018.2 Corridor width

Exceptions

### 1018.3 Corridor obstruction

Exception

### 1018.4 Dead ends

Exceptions

### 1018.5 Air movement in corridors

Exceptions

1018.5.1 Corridor ceiling

### 1018.6 Corridor continuity

## SECTION 1019 EGRESS BALCONIES

### 1019.1 General

### 1019.2 Wall separation

Exception

### 1019.3 Openness

## SECTION 1020 EXITS

### 1020.1 General

### 1020.2 Exterior exit doors

1020.2.1 Detailed requirements

1020.2.2 Arrangement

## SECTION 1021 NUMBER OF EXITS AND CONTINUITY

### 1021.1 Exits from stories

Table 1021.1 Minimum Number of Exits for Occupant Load

Exceptions

1021.1.1 Exits maintained

1021.1.2 Parking structures

1021.1.3 Helistops

### 1021.2 Single exits

Table 1021.2 Stories with One Exit

### 1021.3 Exit continuity

### 1021.4 Exit door arrangement

## SECTION 1022 EXIT ENCLOSURES

### 1022.1 Enclosures required

Exceptions

### 1022.2 Termination

Exception

1022.2.1 Extension

Exception

### 1022.3 Openings and penetrations

### 1022.4 Penetrations

### 1022.5 Ventilation

### 1022.6 Exit enclosure exterior walls

### 1022.7 Discharge identification

### 1022.8 Floor identification signs

1022.8.1 Signage requirements

### 1022.9 Smokeproof enclosures and pressurized stairways

#### 1022.9.1 Termination and extension

Exceptions

#### 1022.9.2 Enclosure access

Exception

## SECTION 1023 EXIT PASSAGEWAYS

### 1023.1 Exit passageway

### 1023.2 Width

Exception

### 1023.3 Construction

### 1023.4 Termination

### 1023.5 Openings and penetrations

### 1023.6 Penetrations

## **SECTION 1024**

### **LUMINOUS EGRESS PATH MARKINGS**

#### **1024.1 General**

Exceptions

#### **1024.2 Markings within exit enclosures**

##### **1024.2.1 Steps**

Exception

##### **1024.2.2 Landings**

##### **1024.2.3 Handrails**

Exception

##### **1024.2.4 Perimeter demarcation lines**

Exception

###### **1024.2.4.1 Floor-mounted demarcation lines**

Exception

###### **1024.2.4.2 Wall-mounted demarcation lines**

Exception

###### **1024.2.4.3 Transition**

##### **1024.2.5 Obstacles**

##### **1024.2.6 Doors from exit enclosures**

###### **1024.2.6.1 Emergency exit symbol**

###### **1024.2.6.2 Door hardware markings**

###### **1024.2.6.3 Door frame markings**

#### **1024.3 Uniformity**

#### **1024.4 Self-luminous and photoluminescent**

#### **1024.5 Illumination**

## **SECTION 1025 HORIZONTAL EXITIS**

### **1025.1 Horizontal exits**

Exceptions

### **1025.2 Separation**

Exception

### **1025.3 Opening protectives**

### **1025.4 Capacity of refuge area**

Exception

Exception

## **SECTION 1026 EXTERIOR EXIT RAMPS AND**

### **STAIRWAYS**

#### **1026.1 Exterior exit ramps and stairways**

Exception

#### **1026.2 Use in a means of egress**

#### **1026.3 Open side**

#### **1026.4 Side yards**

#### **1026.5 Location**

#### **1026.6 Exterior ramps and stairway protection**

Exceptions

## **SECTION 1027 EXIT DISCHARGE**

### **1027.1 General**

Exceptions

### **1027.2 Exit discharge capacity**

### **1027.3 Exit discharge location**

### **1027.4 Exit discharge components**

### **1027.5 Egress courts**

#### **1027.5.1 Width**

Exception

#### **1027.5.2 Construction and openings**

Exceptions

### **1027.6 Access to a public way**

Exception

## **SECTION 1028 ASSEMBLY**

### **1028.1 General**

1028.1.1 Bleachers

### **1028.2 Assembly main exit**

Exception

### **1028.3 Assembly other exits**

Exception

### **1028.4 Foyers and lobbies**

### **1028.5 Interior balcony and gallery means of egress**

1028.5.1 Enclosure of openings

### **1028.6 Width of means of egress for assembly**

#### **1028.6.1 Without smoke protection**

#### **1028.6.2 Smoke-protected seating**

Table 1028.6.2 Width of Aisles for Smoke-Protected Assembly

Exception

1028.6.2.1 Smoke control

1028.6.2.2 Roof height

Exception

1028.6.2.3 Automatic sprinklers

Exceptions

#### **1028.6.3 Width of means of egress for outdoor smoke-protected assembly**

Exception

### **1028.7 Travel distance**

Exceptions

### **1028.8 Common path of egress travel**

Exceptions

1028.8.1 Path through adjacent row

Exception

### **1028.9 Assembly aisles are required**

1028.9.1 Minimum aisle width

1028.9.2 Aisle width

1028.9.3 Converging aisles

1028.9.4 Uniform width

1028.9.5 Assembly aisle termination

Exceptions

1028.9.6 Assembly aisle obstructions

### **1028.10 Clear width of aisle accessways serving seating**

Exception

#### **1028.10.1 Dual access**

Exception

Table 1028.10.1 Smoke-Protected Assembly Aisle Accessways

#### **1028.10.2 Single access**

Exception

### **1028.11 Assembly aisle walking surfaces**

#### **1028.11.1 Treads**

Exception

#### **1028.11.2 Risers**

Exceptions

#### **1028.11.3 Tread contrasting marking stripe**

Exception

### **1028.12 Seat stability**

Exceptions

### **1028.13 Handrails**

Exceptions

1028.13.1 Discontinuous handrails

1028.13.2 Intermediate handrails

### **1028.14 Assembly guards**

1028.14.1 Cross aisles

Exception

1028.14.2 Sightline-constrained guard heights

1028.14.3 Guards at the end of aisles

### **1028.15 Bench seating**

## **SECTION 1029 EMERGENCY ESCAPE AND RESCUE**

### **1029.1 General**

Exceptions

### **1029.2 Minimum size**

Exception

1029.2.1 Minimum dimensions

### **1029.3 Maximum height from floor**

### **1029.4 Operational constraints**

### **1029.5 Window wells**

1029.5.1 Minimum size

1029.5.2 Ladders or steps