

## **CHAPTER 1. APPLICATION AND ADMINISTRATION**

### **SECTION 101 PURPOSE**

#### **101.1 Applicability**

### **SECTION 102 ANTHROPOMETRIC PROVISIONS**

### **SECTION 103 COMPLIANCE ALTERNATIVES**

### **SECTION 104 CONVENTIONS**

#### **104.1 General**

#### **104.2 Dimensions**

#### **104.3 Figures**

Fig. 104.3 Graphic Convention for Figures

#### **104.4 Floor or Floor Surface**

#### **104.5 Referenced Sections**

### **SECTION 105 REFERENCED DOCUMENTS**

#### **105.1 General**

#### **105.2 Documents**

- 105.2.1 Manual on Uniform Traffic Control Devices
- 105.2.2 National Fire Alarm Code
- 105.2.3 Power Assist and Low Energy Power Operated Doors
- 105.2.4 Power Operated Pedestrian Doors
- 105.2.5 Safety Code for Elevators and Escalators
- 105.2.6 Safety Standard for Platform Lifts and Stairway Chairlifts
- 105.2.7 Performance Criteria for Accessible Communications Entry Systems
- 105.2.8 Standard Specification for Impact Attenuation of Surface Systems Under and Around Playground Equipment
- 105.2.9 Standard Specification for Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment
- 105.2.10 Standard Consumer Safety Performance Specification for Playground Equipment for Public Use
- 105.2.11 Americans with Disabilities Act (ADA) Accessibility Guidelines for Transportation Vehicles

### **SECTION 106 DEFINITIONS**

#### **106.1 General**

#### **106.2 Terms Defined in Referenced Documents**

#### **106.3 Undefined Terms**

#### **106.4 Interchangeability**

#### **106.5 Defined Terms**

## **CHAPTER 2. SCOPING**

### **SECTION 201 GENERAL**

### **SECTION 202 DWELLING AND SLEEPING UNITS**

### **SECTION 203 ADMINISTRATION**

## **CHAPTER 3. BUILDING BLOCKS**

### **SECTION 301 GENERAL**

#### **301.1 Scope**

#### **301.2 Overlap**

### **SECTION 302 FLOOR SURFACES**

#### **302.1 General**

#### **302.2 Carpet**

Fig. 302.2 Carpet on Floor Surfaces

#### **302.3 Openings**

### **SECTION 303 CHANGES IN LEVEL**

#### **303.1 General**

#### **303.2 Vertical**

#### **303.3 Beveled**

Fig. 303.3 Beveled Changes in Level

#### **303.4 Ramps**

### **SECTION 304 TURNING SPACE**

#### **304.1 General**

#### **304.2 Floor Surface**

Exception

#### **304.3 Size**

Fig. 304.3 Size of Turning Space

##### **304.3.1 Circular Space**

##### **304.3.2 T-Shaped Space**

#### **304.4 Door Swing**

### **SECTION 305 CLEAR FLOOR SPACE**

#### **305.1 General**

#### **305.2 Floor Surfaces**

Exception

#### **305.3 Size**

Fig. 305.3 Size of Clear Floor Space

#### **305.4 Knee and Toe Clearance**

#### **305.5 Position**

Fig. 305.5 Position of Clear Floor Space

#### **305.6 Approach**

#### **305.7 Alcoves**

Fig. 305.7 Maneuvering Clearance in an Alcove

##### **305.7.1 Parallel Approach**

##### **305.7.2 Forward Approach**

**SECTION 306 KNEE AND TOE CLEARANCE****306.1 General****306.2 Toe Clearance**

Fig. 306.2 Toe Clearance

## 306.2.1 General

## 306.2.2 Maximum Depth

## 306.2.3 Minimum Depth

## 306.2.4 Additional Clearance

## 306.2.5 Width

**306.3 Knee Clearance**

Fig. 306.3 Knee Clearance

## 306.3.1 General

## 306.3.2 Maximum Depth

## 306.3.3 Minimum Depth

## 306.3.4 Clearance Reduction

## 306.3.5 Width

**SECTION 307 PROTRUDING OBJECTS****307.1 General****307.2 Protrusion Limits**

Fig. 307.2 Limits of Protruding Objects

Exception

**307.3 Post-Mounted Objects**

Fig. 307.3 Post-Mounted Protruding Objects

Exception

**307.4 Vertical Clearance**

Fig. 307.4 Reduced Vertical Clearance

Exception

**307.5 Required Clear Width****SECTION 308 REACH RANGES****308.1 General****308.2 Forward Reach****308.2.1 Unobstructed**

Fig. 308.2.1 Unobstructed Forward Reach

**308.2.2 Obstructed High Reach**

Fig. 308.2.2 Obstructed High Forward Reach

**308.3 Side Reach****308.3.1 Unobstructed**

Fig. 308.3.1 Unobstructed Side Reach

Exception

**308.3.2 Obstructed High Reach**

Fig. 308.3.2 Obstructed High Side Reach

**SECTION 309 OPERABLE PARTS****309.1 General****309.2 Clear Floor Space****309.3 Height****309.4 Operation**

Exception

**CHAPTER 4. ACCESSIBLE ROUTES****SECTION 401 GENERAL****401.1 Scope****SECTION 402 ACCESSIBLE ROUTES****402.1 General****402.2 Components****402.3 Revolving Doors****SECTION 403 WALKING SURFACES****403.1 General****403.2 Floor Surfaces****403.3 Slope****403.4 Changes in Level****403.5 Clear Width**

Fig. 403.5 Clear Width of an Accessible Route

Exception

**403.5.1 Clear Width at 180 Degree Turn**

Fig. 403.5.1 Clear Width at 180° Turn

Exception

**403.5.2 Passing Space****403.6 Handrails**

**SECTION 404 DOORS AND DOORWAYS****404.1 General****404.2 Manual Doors**

Exception

**404.2.1 Double-Leaf Doors and Gates****404.2.2 Clear Width**

Fig. 404.2.2 Clear Width of Doorways

Exceptions

**404.2.3 Maneuvering Clearances****404.2.3.1 Floor Surface****404.2.3.2 Swinging Doors**

Table 404.2.3.2 Maneuvering Clearances at Manual Swinging Doors

Fig. 404.2.3.2 Maneuvering Clearance at Manual Swinging Doors

**404.2.3.3 Sliding and Folding Doors**

Table 404.2.3.3 Maneuvering Clearances at Sliding and Folding Doors

Fig. 404.2.3.3 Maneuvering Clearance at Sliding and Folding Doors

**404.2.3.4 Doorways without Doors**

Table 404.2.3.4 Maneuvering Clearances for Doorways without Doors

Fig. 404.2.3.4 Maneuvering Clearance at Doorways without Doors

**404.2.3.5 Recessed Doors**

Fig. 404.2.3.5 Maneuvering Clearance at Recessed Doors

**404.2.4 Thresholds**

Exception

**404.2.5 Two Doors in Series**

Fig. 404.2.5 Two Doors in a Series

**404.2.6 Door Hardware**

Exception

**404.2.7 Closing Speed**

404.2.7.1 Door Closers

404.2.7.2 Spring Hinges

**404.2.8 Door-Opening Force****404.2.9 Door Surface**

Exceptions

**404.2.10 Vision Lites**

Exception

**404.3 Automatic Doors**

Exception

**404.3.1 Clear Width****404.3.2 Maneuvering Clearances****404.3.3 Thresholds****404.3.4 Two Doors in Series****404.3.5 Control Switches****SECTION 405 RAMPS****405.1 General**

Exception

**405.2 Slope**

Table 405.2 Allowable Ramp Dimensions for Construction in Existing Sites, Buildings and Facilities

Exception

**405.3 Cross Slope****405.4 Floor Surfaces****405.5 Clear Width****405.6 Rise****405.7 Landings**

Fig. 405.7 Ramp Landings

405.7.1 Slope

405.7.2 Width

405.7.3 Length

405.7.4 Change in Direction

405.7.5 Doorways

**405.8 Handrails****405.9 Edge Protection**

Fig. 405.9 Edge Protection-Limited Drop Off Exceptions

**405.9.1 Extended Floor Surface**

Fig. 405.9.1 Extended Floor Surface

**405.9.2 Curb or Barrier**

Fig. 405.9.2 Ramp Edge Protection

**405.9.2.1 Curb****405.9.2.2 Barrier****405.10 Wet Conditions****SECTION 406 CURB RAMPS****406.1 General****406.2 Counter Slope**

Fig. 406.2 Counter Slope of Surfaces Adjacent to Curb Ramps

**406.3 Sides of Curb Ramps**

Fig. 406.3 Sides of Curb Ramps

**406.3.1 Slope****406.3.2 Marking****406.4 Width****406.5 Floor Surface****406.6 Location****406.7 Landings**

Fig. 406.7 Landings

Exception

**406.8 Obstructions****406.9 Handrails****406.10 Diagonal Curb Ramps**

Fig 406.10 Diagonal Curb Ramps

**406.11 Islands**

Fig. 406.11 Islands

**406.12 Detectable Warnings at Raised Marked Crossings****406.13 Detectable Warnings at Curb Ramps****406.13.1 Area Covered****406.13.2 Location****406.14 Detectable Warnings at Islands or Cut-through Medians**

**SECTION 407 ELEVATORS****407.1 General****407.2 Elevator Landing Requirements****407.2.1 Call Controls**

Exceptions

## 407.2.1.1 Height

Fig. 407.2.1.1 Height of Elevator Call Buttons

Exception

## 407.2.1.2 Size

Exception

## 407.2.1.3 Clear Floor Space

## 407.2.1.4 Location

Exception

## 407.2.1.5 Signals

Exceptions

## 407.2.1.6 Keypads

## 407.2.1.7 Destination-oriented Elevator Signals

Fig. 407.2.1.7 Destination-oriented Elevator Indication

**407.2.2 Hall Signals****407.2.2.1 Visible and Audible Signals**

Exceptions

**407.2.2.2 Visible Signals**

Fig. 407.2.2.2 Elevator Visible Signals

Exceptions

**407.2.2.3 Audible Signals**

Exceptions

## 407.2.2.4 Differentiation

**407.2.3 Hoistway Signs****407.2.3.1 Floor Designation**

Fig. 407.2.3.1 Floor Designation

**407.2.3.2 Car Identification**

Fig. 407.2.3.2 Destination-oriented Elevator Car Identification

**407.2.4 Destination Signs**

Exception

**407.3 Elevator Door Requirements****407.3.1 Type****407.3.2 Operation**

Exception

**407.3.3 Reopening Device**

Exception

## 407.3.3.1 Height

## 407.3.3.2 Contact

## 407.3.3.3 Duration

**407.3.4 Door and Signal Timing**

Exceptions

**407.3.5 Door Delay****407.3.6 Width**

Exception

**407.4 Elevator Car Requirements****407.4.1 Inside Dimensions**

Table 407.4.1 Minimum Dimensions of Elevator Cars

Fig. 407.4.1 Inside Dimensions of Elevator Cars

Exception

**407.4.2 Floor Surfaces****407.4.3 Platform to Hoistway Clearance****407.4.4 Leveling****407.4.5 Illumination****407.4.6 Elevator Car Controls**

Exception

## 407.4.6.1 Location

Exceptions

## 407.4.6.2 Buttons

Fig. 407.4.6.2 Elevator car control Buttons

Exception

## 407.4.6.2.1 Size

## 407.4.6.2.2 Arrangement

## 407.4.6.3 Keypads

## 407.4.6.4 Emergency Controls

## 407.4.6.4.1 Height

## 407.4.6.4.2 Location

**407.4.7 Designations and Indicators of Car Controls**

Exceptions

**407.4.7.1 Buttons**

## 407.4.7.1.1 Type

## 407.4.7.1.2 Location

Exception

## 407.4.7.1.3 Symbols

Table 407.4.7.1.3 Control Button Identification

## 407.4.7.1.4 Visible Indicators

**407.4.7.2 Keypads****407.4.8 Elevator Car Call Sequential Step Scanning****407.4.9 Car Position Indicators****407.4.9.1 Visible Indicators**

## 407.4.9.1.1 Size

## 407.4.9.1.2 Location

## 407.4.9.1.3 Floor Arrival

Exception

## 407.4.9.1.4 Destination Indicator

**407.4.9.2 Audible Indicators**

## 407.4.9.2.1 Signal Type

Exception

## 407.4.9.2.2 Signal Level

## 407.4.9.2.3 Frequency

**407.4.10 Emergency Communications**

## 407.4.10.1 Height

## 407.4.10.2 Identification

## **SECTION 408 LIMITED-USE/LIMITED-APPLICATION ELEVATORS**

### **408.1 General**

### **408.2 Elevator Landing Requirements**

#### **408.2.1 Call Controls**

#### **408.2.2 Hall Signals**

#### **408.2.3 Hoistway Signs**

### **408.3 Elevator Door Requirements**

#### **408.3.1 Sliding Doors**

#### **408.3.2 Swinging Doors**

##### **408.3.2.1 Power Operation**

##### **408.3.2.2 Duration**

#### **408.3.3 Door Location and Width**

Fig. 408.3.3 Door Location for Limited Use/  
Limited Application (LULA)  
Elevators

##### **408.3.3.1 Cars with Single Door or Doors on Opposite Ends**

##### **408.3.3.2 Cars with Doors on Adjacent Sides**

Exception

### **408.4 Elevator Car Requirements**

#### **408.4.1 Inside Dimensions**

Fig. 408.4.1 Inside Dimensions of Limited  
Use/ Limited Application  
(LULA) Elevator Cars

Exception

#### **408.4.2 Floor Surfaces**

#### **408.4.3 Platform to Hoistway Clearance**

#### **408.4.4 Leveling**

#### **408.4.5 Illumination**

#### **408.4.6 Elevator Car Controls**

#### **408.4.7 Designations and Indicators of Car Controls**

#### **408.4.8 Emergency Communications**

## **SECTION 409 PRIVATE RESIDENCE ELEVATORS**

### **409.1 General**

Exception

### **409.2 Call Controls**

### **409.3 Doors and Gates**

Exception

#### **409.3.1 Power Operation**

Exception

#### **409.3.2 Duration**

#### **409.3.3 Door or Gate Location and Width**

### **409.4 Elevator Car Requirements**

#### **409.4.1 Inside Dimensions**

#### **409.4.2 Floor Surfaces**

#### **409.4.3 Platform to Hoistway Clearance**

#### **409.4.4 Leveling**

#### **409.4.5 Illumination**

#### **409.4.6 Elevator Car Controls**

##### **409.4.6.1 Buttons**

##### **409.4.6.2 Height**

##### **409.4.6.3 Location**

Fig. 409.4.6.3 Location of Controls in Private  
Residence Elevators

#### **409.4.7 Emergency Communications**

##### **409.4.7.1 Type**

##### **409.4.7.2 Operable Parts**

##### **409.4.7.3 Compartment**

##### **409.4.7.4 Cord**

## **SECTION 410 PLATFORM LIFTS**

### **410.1 General**

### **410.2 Lift Entry**

#### **410.2.1 Doors and Gates**

Fig. 410.2.1 Platform Lift Doors and Gates  
Exceptions

#### **410.2.2 Ramps**

### **410.3 Floor Surfaces**

### **410.4 Platform to Runway Clearance**

### **410.5 Clear Floor Space**

#### **410.5.1 Lifts with Single Door or Doors on Opposite Ends**

#### **410.5.2 Lifts with Doors on Adjacent Sides**

Exception

### **410.6 Operable Parts**

**CHAPTER 5. GENERAL SITE AND BUILDING ELEMENTS****SECTION 501 GENERAL****501.1 Scope****SECTION 502 PARKING SPACES****502.1 General****502.2 Vehicle Space Size**

Fig. 502.2 Vehicle Parking Space Size

Exception

**502.3 Vehicle Space Marking**

Exception

**502.4 Access Aisle**

Fig. 502.4 Parking Space Access Aisle

502.4.1 Location

502.4.2 Width

502.4.3 Length

502.4.4 Marking

Exception

**502.5 Floor Surfaces****502.6 Vertical Clearance****502.7 Identification****502.8 Relationship to Accessible Routes****SECTION 503 PASSENGER LOADING ZONES****503.1 General****503.2 Vehicle Pull-up Space Size****503.3 Access Aisle**

Fig. 503.3 Passenger Loading Zone Access Aisle

503.3.1 Location

503.3.2 Width

503.3.3 Length

503.3.4 Marking

**503.4 Floor Surfaces****503.5 Vertical Clearance****SECTION 504 STAIRWAYS****504.1 General****504.2 Treads and Risers**

Fig. 504.2 Treads and Risers for Accessible Stairways

**504.3 Open Risers****504.4 Tread Surface****504.5 Nosings**

Fig. 504.5 Stair Nosings

504.5.1 Visual contrast

**504.6 Handrails****504.7 Wet Conditions****504.8 Lighting**

504.8.1 Illumination Level

504.8.2 Lighting Controls

**504.9 Stair Level Identification****SECTION 505 HANDRAILS****505.1 General****505.2 Location**

Exceptions

**505.3 Continuity**

Exception

**505.4 Height**

Fig. 505.4 Handrail Height

**505.5 Clearance**

Fig. 505.5 Handrail Clearance

**505.6 Gripping Surface**

Exceptions

**505.7 Cross Section**

Fig. 505.7 Handrail Cross Section

**505.7.1 Circular Cross Section****505.7.2 Noncircular Cross Sections****505.8 Surfaces****505.9 Fittings****505.10 Handrail Extensions**

Exceptions

**505.10.1 Top and Bottom Extension at Ramps**

Fig. 505.10.1 Top and Bottom Handrail Extensions at Ramps

**505.10.2 Top Extension at Stairs**

Fig. 505.10.2 Top Handrail Extensions at Stairs

**505.10.3 Bottom Extension at Stairs**

Fig. 505.10.3 Bottom Handrail Extensions at Stairs

**SECTION 506 WINDOWS****506.1 General****CHAPTER 6. PLUMBING ELEMENTS AND FACILITIES****SECTION 601 GENERAL****601.1 Scope****SECTION 602 DRINKING FOUNTAINS****602.1 General****602.2 Clear Floor Space**

Exceptions

Fig. 602.2 Parallel Approach at Drinking Fountains Primarily for Children's Use – (Exception 2)

**602.3 Operable Parts****602.4 Spout Outlet Height****602.5 Spout Location**

Fig. 602.5 Drinking Fountain Spout Location

**602.6 Water Flow**

**SECTION 603 TOILET AND BATHING ROOMS****603.1 General****603.2 Clearances****603.2.1 Turning Space****603.2.2 Door Swing**

Exceptions

**603.3 Mirrors**

Exception

**603.4 Coat Hooks and Shelves****603.5 Diaper Changing Tables****603.6 Operable Parts**

Table 603.6 Maximum Reach Depth and Height

**SECTION 604 WATER CLOSETS AND TOILET COMPARTMENTS****604.1 General**

Exception

**604.2 Location**

Fig. 604.2 Water Closet Location

**604.3 Clearance**

Fig. 604.3 Size of Clearance for Water Closet

## 604.3.1 Clearance Width

## 604.3.2 Clearance Depth

## 604.3.3 Clearance Overlap

**604.4 Height**

Fig. 604.4 Water Closet Seat Height

Exception

**604.5 Grab Bars**

Exceptions

**604.5.1 Fixed Side Wall Grab Bars**

Fig. 604.5.1 Side Wall Grab Bar for Water Closet

Exception

**604.5.2 Rear Wall Grab Bars**

Fig. 604.5.2 Rear Wall Grab Bar for Water Closet

Exceptions

**604.6 Flush Controls**

Exception

**604.7 Dispensers**

Fig. 604.7 Dispenser Outlet Location

**604.8 Coat Hooks and Shelves****604.9 Wheelchair Accessible Compartments****604.9.1 General****604.9.2 Size**

Fig. 604.9.2 Wheelchair Accessible Toilet Compartments

## 604.9.2.1 Minimum area

## 604.9.2.2 Compartment for children's use

**604.9.3 Doors**

## 604.9.3.1 Door Opening Location

Table 604.9.3.1 Door Opening Location

Fig. 604.9.3.1 Wheelchair Accessible

Compartment Door Openings

**604.9.4 Approach****604.9.5 Toe Clearance**

Fig. 604.9.5 Wheelchair Accessible

Compartment Toe Clearance

## 604.9.5.1 Toe Clearance at Compartments

Exceptions

## 604.9.5.2 Toe Clearance at Compartments for Children's Use

Exceptions

**604.9.6 Grab Bars****604.10 Ambulatory Accessible Compartments**

Fig. 604.10 Ambulatory Accessible Compartment

**604.10.1 General****604.10.2 Size****604.10.3 Doors****604.10.4 Grab Bars****604.11 Water Closets and Toilet Compartments for Children's Use****604.11.1 General****604.11.2 Location**

Fig. 604.11.2 Children's Water Closet Location

**604.11.3 Clearance****604.11.4 Height**

Fig. 604.11.4 Children's Water Closet Height

**604.11.5 Grab Bars****604.11.6 Flush Controls**

Exception

**604.11.7 Dispensers**

Fig. 604.11.7 Children's Dispenser Outlet Location

**604.11.8 Toilet Compartments****SECTION 605 URINALS****605.1 General****605.2 Height and Depth**

Fig. 605.2 Height of Urinals

**605.3 Clear Floor Space****605.4 Flush Controls****SECTION 606 LAVATORIES AND SINKS****606.1 General****606.2 Clear Floor Space**

Exceptions

**606.3 Height**Fig. 606.3 Height of Lavatories and Sinks  
Exception**606.4 Faucets****606.5 Lavatories with Enhanced Reach Range****606.6 Exposed Pipes and Surfaces**

**SECTION 607 BATHTUBS****607.1 General****607.2 Clearance**

Fig. 607.2 Clearance for Bathtubs

**607.3 Seat****607.4 Grab Bars**

Exception

**607.4.1 Bathtubs with Permanent Seats**

Fig. 607.4.1 Grab Bars for Bathtubs with Permanent Seats

**607.4.1.1 Back Wall****607.4.1.2 Control End Wall**

Exception

**607.4.1.2.1 Horizontal Grab Bar****607.4.1.2.2 Vertical Grab Bar****607.4.2 Bathtubs without Permanent Seats**

Fig. 607.4.2 Grab Bars for Bathtubs without Permanent Seats

**607.4.2.1 Back Wall****607.4.2.2 Control End Wall****607.4.2.3 Head End Wall****607.5 Controls**

Fig. 607.5 Location of Bathtub Controls

**607.6 Hand Shower****607.7 Bathtub Enclosures****607.8 Water Temperature****SECTION 608 SHOWER COMPARTMENTS****608.1 General****608.2 Size, clearance and seat****608.2.1 Transfer-type Shower Compartments**

Fig. 608.2.1 Transfer-type Shower Compartment Size and Clearance

**608.2.1.1 Size****608.2.1.2 Clearance****608.2.1.3 Seat**

Exception

**608.2.2 Standard Roll-in-type Shower Compartments**

Fig. 608.2.2 Standard Roll-in-type Shower Compartment Size and Clearance

**608.2.2.1 Size****608.2.2.2 Clearance**

Exception

**608.2.2.3 Seat**

Exceptions

**608.2.3 Alternate Roll-in-type Shower Compartments**

Fig. 608.2.3 Alternate Roll-in-type Shower Compartment Size and Clearance

**608.2.3.1 Size****608.2.3.2 Seat**

Exception

**608.3 Grab Bars**

Exception

**608.3.1 Transfer-Type Showers**

Fig. 608.3.1 Grab Bars in Transfer-Type Showers

**608.3.1.1 Horizontal Grab Bars****608.3.1.2 Vertical Grab Bar****608.3.2 Standard Roll-in-Type Showers**

Fig. 608.3.2 Grab Bars in Standard Roll-in-Type Showers

**608.3.3 Alternate Roll-in-Type Showers**

Fig. 608.3.3 Grab Bars in Alternate Roll-in-Type Showers

**608.4 Controls and Hand Showers****608.4.1 Transfer-Type Showers**

Fig. 608.4.1 Transfer-Type Shower Controls and Hand Shower Location

**608.4.2 Standard Roll-in Showers**

Fig. 608.4.2 Standard Roll-in-Type Shower Control and Hand Shower Location

**608.4.3 Alternate Roll-in Showers**

Fig. 608.4.3 Alternate Roll-in-Type Shower Control and Hand Shower Location

**608.5 Hand Showers**

Exception

**608.6 Thresholds**

Exception

**608.7 Shower Enclosures****608.8 Water Temperature****SECTION 609 GRAB BARS****609.1 General****609.2 Cross Section**

Fig. 609.2 Size of Grab Bars

**609.2.1 Circular Cross Section****609.2.2 Noncircular Cross Section****609.3 Spacing**

Fig. 609.3 Spacing of Grab Bars Exceptions

**609.4 Position of Grab Bars****609.4.1 General****609.4.2 Position of Children's Grab Bars**

Fig. 609.4.2 Position of Children's Grab Bars

**609.5 Surface Hazards****609.6 Fittings****609.7 Installation and Configuration****609.8 Structural Strength**



## **SECTION 610 SEATS**

### **610.1 General**

### **610.2 Bathtub Seats**

Fig. 610.2 Bathtub Seats

### **610.3 Shower Compartment Seats**

#### **610.3.1 Rectangular Seats**

Fig. 610.3.1 Rectangular Shower  
Compartment Seat

#### **610.3.2 L-Shaped Seats**

Fig. 610.3.2 L-Shaped Shower Compartment  
Seat

### **610.4 Structural Strength**

## **SECTION 611 WASHING MACHINES AND CLOTHES DRYERS**

### **611.1 General**

### **611.2 Clear Floor Space**

Fig. 611.2 Clear Floor Space

### **611.3 Operable Parts**

### **611.4 Height**

Fig. 611.4 Height of Laundry Equipment

## **SECTION 612 SAUNAS AND STEAM ROOMS**

### **612.1 General**

### **612.2 Bench**

### **612.3 Turning Space**

## **CHAPTER 7. COMMUNICATION ELEMENTS AND FEATURES**

## **SECTION 701 GENERAL**

### **701.1 Scope**

## **SECTION 702 ALARMS**

### **702.1 General**

## **SECTION 703 SIGNS**

### **703.1 General**

#### **703.1.1 Designations**

Exception

#### **703.1.2 Directional and Informational Signs**

#### **703.1.3 Pictograms**

Exception

### **703.2 Visual Characters**

#### **703.2.1 General**

#### **703.2.2 Case**

#### **703.2.3 Style**

#### **703.2.4 Character Height**

Table 703.2.4 Visual Character Height

Exception

#### **703.2.5 Character Width**

#### **703.2.6 Stroke Width**

#### **703.2.7 Character Spacing**

#### **703.2.8 Line Spacing**

Exception

#### **703.2.9 Height Above Floor**

Exception

#### **703.2.10 Finish and Contrast**

### **703.3 Raised Characters**

#### **703.3.1 General**

#### **703.3.2 Depth**

#### **703.3.3 Case**

#### **703.3.4 Style**

#### **703.3.5 Character Height**

Fig. 703.3.5 Character Height

Exception

#### **703.3.6 Character Width**

#### **703.3.7 Stroke Width**

##### **703.3.7.1 Maximum**

##### **703.3.7.2 Minimum**

#### **703.3.8 Character Spacing**

#### **703.3.9 Line Spacing**

#### **703.3.10 Height above Floor**

Fig. 703.3.10 Height of Raised Characters above  
Floor

Exception

#### **703.3.11 Location**

Fig. 703.3.11 Location of Signs at Doors

Exception

#### **703.3.12 Finish and Contrast**

Exception

**703.4 Braille**

- 703.4.1 General
- 703.4.2 Uppercase Letters
- 703.4.3 Dimensions
  - Fig. 703.4.3 Braille Measurement
  - Table 703.4.3 Braille Dimensions
- 703.4.4 Position
  - Fig. 703.4.4 Position of Braille
- 703.4.5 Mounting Height
  - Fig. 703.4.5 Height of Braille Characters above Floor

Exception

**703.5 Pictograms**

- Fig. 703.5 Pictogram Field
- 703.5.1 General
- 703.5.2 Pictogram Field
- 703.5.3 Finish and Contrast

**703.6 Symbols of Accessibility**

- 703.6.1 General
- 703.6.2 Finish and Contrast
- 703.6.3 Symbols
  - 703.6.3.1 International Symbol of Accessibility
    - Fig. 703.6.3.1 International Symbol of Accessibility
  - 703.6.3.2 International Symbol of TTY
    - Fig. 703.6.3.2 International TTY Symbol
  - 703.6.3.3 Assistive Listening Systems
    - Fig. 703.6.3.3 International Symbol of Access for Hearing Loss
  - 703.6.3.4 Volume-Controlled Telephones
    - Fig. 703.6.3.4 Volume-Controlled Telephone

**703.7 Variable Message Signs**

- 703.7.1 General
  - Exception
- 703.7.2 Case
- 703.7.3 Style
- 703.7.4 Character Height
  - Table 703.7.4 Low Resolution VMS Character Height
  - Exception
- 703.7.5 Character Width
  - Table 703.7.5 Pixel Count for Low Resolution VMS Signage
  - Fig. 703.7.5 Low Resolution VMS Signage Characters
- 703.7.6 Stroke Width
- 703.7.7 Character Spacing
- 703.7.8 Line Spacing
- 703.7.9 Height Above Floor
- 703.7.10 Finish
- 703.7.11 Contrast
- 703.7.12 Protective Covering
- 703.7.13 Brightness
- 703.7.14 Rate of Change

**703.8 Remote Infrared Audible Sign (RIAS) Systems**

- 703.8.1 General**
- 703.8.2 Transmitters**
- 703.8.3 Infrared Audible Sign Receivers**
  - 703.8.3.1 Frequency
  - 703.8.3.2 Optical Power Density
  - 703.8.3.3 Audio Output
  - 703.8.3.4 Reception Range
  - 703.8.3.5 Multiple Signals
- 703.9 Pedestrian Signals**
  - Exception

**SECTION 704 TELEPHONES****704.1 General****704.2 Wheelchair Accessible Telephones**

Exception

**704.2.1 Clear Floor Space**

Fig. 704.2.1 Clear Floor Space for Telephones

- 704.2.1.1 Parallel Approach
- 704.2.1.2 Forward Approach

**704.2.2 Operable Parts****704.2.3 Telephone Directories****704.2.4 Cord Length****704.2.5 Hearing-Aid Compatibility****704.3 Volume-control Telephones****704.4 TTY****704.5 Height**

Exception

**704.6 TTY Shelf****704.7 Protruding Objects****SECTION 705 DETECTABLE WARNINGS****705.1 General****705.2 Standardization**

Exception

**705.3 Contrast****705.4 Interior Locations****705.5 Truncated Domes**

Fig. 705.5 Truncated Dome Size and Spacing

- 705.5.1 Size
- 705.5.2 Height
- 705.5.3 Spacing
- 705.5.4 Alignment

**705.6 Transportation Platform Edges****SECTION 706 ASSISTIVE LISTENING SYSTEMS****706.1 General****706.2 Receiver Jacks****706.3 Receiver Hearing-aid Compatibility****706.4 Sound Pressure Level****706.5 Signal-to-noise Ratio****706.6 Peak Clipping Level**

**SECTION 707 AUTOMATIC TELLER MACHINES (ATMs) AND FARE MACHINES****707.1 General****707.2 Clear Floor Space**

Exception

**707.3 Operable Parts**

Exception

**707.4 Privacy****707.5 Numeric Keys**

Fig. 707.5 Numeric Key Layout

**707.6 Function Keys**

707.6.1 Raised Symbols

Table 707.6.1 Raised Symbols

707.6.2 Contrast

Exception

**707.7 Display Screen**

707.7.1 Visibility

Exception

707.7.2 Characters

**707.8 Speech Output**

Exceptions

**707.8.1 User Control**

Exception

**707.8.2 Receipts**

Exceptions

**707.9 Input Controls****707.10 Braille Instructions****SECTION 708 TWO-WAY COMMUNICATION SYSTEMS****708.1 General****708.2 Audible and Visual Indicators****708.3 Handsets****708.4 Telephone entry systems****CHAPTER 8. SPECIAL ROOMS AND SPACES****SECTION 801 GENERAL****801.1 Scope****SECTION 802 ASSEMBLY AREAS****802.1 General****802.2 Floor Surfaces****802.3 Width**

Fig. 802.3 Width of a Wheelchair Space in Assembly Areas

**802.4 Depth**

Fig. 802.4 Depth of a Wheelchair Space in Assembly Areas

**802.5 Approach**

802.5.1 Overlap

**802.6 Integration of Wheelchair****802.7 Companion Seat**

802.7.1 Companion Seat Type

802.7.2 Companion Seat Alignment

**802.8 Designated Aisle Seats****802.8.1 Armrests****802.8.2 Identification****802.9 Lines of Sight****802.9.1 Line of Sight over Seated Spectators**

802.9.1.1 Lines of Sight over Heads

Fig. 802.9.1.1 Lines of Sight over the Heads of Seated Spectators

802.9.1.2 Lines of Sight between Heads

Fig. 802.9.1.2 Lines of Sight between the Heads of Seated Spectators

**802.9.2 Line of Sight over Standing Spectators**

Fig. 802.9.2 Line of Sight over Standing Spectators

802.9.2.1 Distance from Adjacent Seating

802.9.2.2 Height

Table 802.9.2.2 Required Wheelchair Space Location Elevation Over Standing Spectators

**802.10 Wheelchair Space Dispersion**

Table 802.10 Wheelchair Space Location Dispersion

**802.10.1 Horizontal Dispersion**

Exception

**802.10.2 Dispersion for Variety of Distances from the Event**

Exceptions

**802.10.3 Dispersion by Type****802.10.4 Spaces Utilized Primarily for Viewing Motion Picture Projections**

802.10.4.1 Spaces with Seating on Risers

802.10.4.2 Distance from the Screen

## **SECTION 803 DRESSING, FITTING AND LOCKER ROOMS**

### **803.1 General**

### **803.2 Turning Space**

### **803.3 Door Swing**

### **803.4 Benches**

### **803.5 Coat Hooks and Shelves**

## **SECTION 804 KITCHENS AND KITCHENETTES**

### **804.1 General**

### **804.2 Clearance**

Exception

#### **804.2.1 Pass-through Kitchens**

Fig. 804.2.1 Pass-through Kitchen Clearance

#### **804.2.2 U-Shaped Kitchens**

Fig. 804.2.2 U-Shaped Kitchen Clearance

### **804.3 Work Surface**

Exception

### **804.4 Sinks**

### **804.5 Appliances**

#### **804.5.1 Clear Floor Space**

#### **804.5.2 Operable Parts**

Exceptions

#### **804.5.3 Dishwasher**

#### **804.5.4 Cooktop**

804.5.4.1 Approach

804.5.4.2 Forward Approach

804.5.4.3 Parallel Approach

804.5.4.4 Controls

#### **804.5.5 Oven**

804.5.5.1 Clear floor space

804.5.5.2 Side-Hinged Door Ovens

804.5.5.3 Bottom-Hinged Door Ovens

804.5.5.4 Controls

#### **804.5.6 Refrigerator/Freezer**

## **SECTION 805 TRANSPORTATION FACILITIES**

### **805.1 General**

### **805.2 Bus Boarding and Alighting Areas**

#### **805.2.1 Surface**

#### **805.2.2 Dimensions**

Fig. 805.2.2 Size of Bus Boarding and Alighting Areas

#### **805.2.3 Slope**

#### **805.2.3 Connection**

### **805.3 Bus Shelters**

Fig. 805.3 Bus Shelters

### **805.4 Bus Signs**

Exception

### **805.5 Rail Platforms**

#### **805.5.1 Slope**

Exception

#### **805.5.2 Detectable Warnings**

### **805.6 Rail Station Signs**

Exception

#### **805.6.1 Entrances**

#### **805.6.2 Routes and Destinations**

Exception

#### **805.6.3 Station Names**

### **805.7 Public Address Systems**

### **805.8 Clocks**

### **805.9 Escalators**

Exception

### **805.10 Track Crossings**

Fig. 805.10 Track Crossings

Exception

## **SECTION 806 HOLDING CELLS AND HOUSING CELLS**

### **806.1 General**

### **806.2 Features for People Using Wheelchairs or Other Mobility Aids**

#### **806.2.1 Turning Space**

#### **806.2.2 Benches**

#### **806.2.3 Beds**

#### **806.2.4 Toilet and Bathing Facilities**

### **806.3 Communication Features**

#### **806.3.1 Alarms**

Exception

#### **806.3.2 Telephones**

## **SECTION 807 COURTROOMS**

### **807.1 General**

### **807.2 Turning Space**

Exception

### **807.3 Clear Floor Space**

Exception

### **807.4 Courtroom Stations**

### **807.5 Gallery seating**

**CHAPTER 9. BUILT-IN FURNISHINGS AND EQUIPMENT****SECTION 901 GENERAL****901.1 Scope****SECTION 902 DINING SURFACES AND WORK SURFACES****902.1 General**

Exception

**902.2 Clear Floor Space**

Exceptions

**902.3 Exposed Surfaces****902.4 Height****902.5 Dining Surfaces and Work Surfaces for Children's Use**

Exception

**902.5.1 Clear Floor Space**

Exception

**902.5.2 Height****SECTION 903 BENCHES**

Fig. 903 Benches

**903.1 General****903.2 Clear Floor Space****903.3 Size****903.4 Back Support****903.5 Height**

Exception

**903.6 Structural Strength****903.7 Wet Locations****SECTION 904 SALES AND SERVICE COUNTERS****904.1 General**

Exception

**904.2 Approach****904.3 Sales and Service Counters****904.3.1 Parallel Approach****904.3.2 Forward Approach****904.4 Checkout Aisles****904.4.1 Aisle****904.4.2 Counters**

Fig. 904.4.2 Height of Checkout Counters

**904.4.3 Check Writing Surfaces****904.5 Food Service Lines****904.5.1 Self-Service Shelves and Dispensing Devices****904.5.2 Tray Slides****904.6 Security Glazing****SECTION 905 STORAGE FACILITIES****905.1 General****905.2 Clear Floor Space****905.3 Height****905.4 Operable Parts****CHAPTER 10. DWELLING UNITS AND SLEEPING UNITS****SECTION 1001 GENERAL****1001.1 Scoping****SECTION 1002 ACCESSIBLE UNITS****1002.1 General****1002.2 Primary Entrance****1002.3 Accessible Route****1002.3.1 Location**

Exception

**1002.3.2 Turning Space**

Exceptions

**1002.3.3 Components****1002.4 Walking Surfaces****1002.5 Doors and Doorways**

Exceptions

**1002.6 Ramps****1002.7 Elevators****1002.8 Platform Lifts****1002.9 Operable Parts**

Exceptions

**1002.10 Laundry Equipment****1002.11 Toilet and Bathing Facilities****1002.11.1 Grab Bars and Shower Seat Reinforcement**

Exception

**1002.11.2 Accessible Toilet and Bathing Facility****1002.11.2.1 Vanity Counter Top Space****1002.11.2.2 Mirrors****1002.12 Kitchens and kitchenettes**

Exception

**1002.13 Windows****1002.13.1 Natural ventilation****1002.13.2 Emergency escape****1002.14 Storage Facilities**

Exception

**1002.15 Beds****1002.15.1 Clear Floor Space**

Exception

**1002.15.2 Bed Frames**

**SECTION 1003 TYPE A UNITS****1003.1 General****1003.2 Primary Entrance****1003.3 Accessible Route****1003.3.1 Location**

Exception

**1003.3.2 Turning Space**

Exceptions

**1003.3.3 Components****1003.4 Walking Surfaces****1003.5 Doors and Doorways**

Exceptions

**1003.6 Ramps****1003.7 Elevators****1003.8 Platform Lifts****1003.9 Operable Parts**

Exceptions

**1003.10 Laundry Equipment****1003.11 Toilet and Bathing Facilities****1003.11.1 Grab Bar and Shower Seat****Reinforcement**

Exceptions

**1003.11.2 General****1003.11.2.1 Doors**

Exception

**1003.11.2.2 Lavatory**

Exception

**1003.11.2.3 Mirrors****1003.11.2.4 Water Closet**

Fig. 1003.11.2.4 Water Closets in Type A Units

## 1003.11.2.4.1 Location

## 1003.11.2.4.2 Clearance Width

## 1003.11.2.4.3 Clearance Depth

## 1003.11.2.4.4 Clearance Overlap

Exception

## 1003.11.2.4.5 Height

## 1003.11.2.4.6 Flush Controls

**1003.11.2.5 Bathing Fixtures****1003.11.2.5.1 Bathtub**

Fig. 1003.11.2.5.1 Clearance for Bathtubs in Type A Units

Exceptions

**1003.11.2.5.2 Shower**

Fig. 1003.11.2.5.2 Standard Roll-in-Type Shower Compartment in Type A Units

Exception

**1003.12 Kitchens and kitchenettes****1003.12.1 Clearance****1003.12.1.1 Minimum Clearance**

Fig. 1003.12.1.1 Minimum Kitchen Clearance in Type A Units

**1003.12.1.2 U-Shaped Kitchens**

Fig. 1003.12.1.2 U-Shaped Kitchen Clearance in Type A Units

**1003.12.2 Clear Floor Space****1003.12.3 Work Surface**

Fig. 1003.12.3 Work Surface in Kitchen for Type A Units

**1003.12.3.1 Clear Floor Space**

Exception

**1003.12.3.2 Height**

Exception

**1003.12.3.3 Exposed Surfaces****1003.12.4 Sink**

Fig. 1003.12.4 Kitchen Sink for Type A Units

**1003.12.4.1 Clear Floor Space**

Exceptions

**1003.12.4.2 Height**

Exception

**1003.12.4.3 Faucets****1003.12.4.4 Exposed Pipes and Surfaces****1003.12.5 Appliances****1003.12.5.1 Operable Parts**

Exceptions

**1003.12.5.2 Clear Floor Space****1003.12.5.3 Dishwasher****1003.12.5.4 Cooktop**

## 1003.12.5.4.1 Approach

## 1003.12.5.4.2 Forward approach

## 1003.12.5.4.3 Parallel approach

## 1003.12.5.4.4 Controls

**1003.12.5.5 Oven**

## 1003.12.5.5.1 Clear floor space

## 1003.12.5.5.2 Side-Hinged Door Ovens

## 1003.12.5.5.3 Bottom-Hinged Door Ovens

## 1003.12.5.5.4 Controls

**1003.12.5.6 Refrigerator/Freezer****1003.13 Windows****1003.13.1 Natural ventilation****1003.13.2 Emergency escape****1003.14 Storage Facilities**

Exception

**SECTION 1004 TYPE B UNITS****1004.1 General****1004.2 Primary Entrance****1004.3 Accessible Route****1004.3.1 Location**

Exceptions

**1004.3.2 Components****1004.4 Walking Surfaces**

## 1004.4.1 Clear Width

## 1004.4.2 Changes in Level

Exception

**1004.5 Doors and Doorways****1004.5.1 Primary Entrance Door**

Exception

**1004.5.2 User Passage Doorways****1004.5.2.1 Clear Width****1004.5.2.1.1 Double Leaf Doorways****1004.5.2.2 Thresholds**

Exception

**1004.5.2.3 Automatic Doors****1004.6 Ramps****1004.7 Elevators****1004.8 Platform Lifts****1004.9 Operable Parts**

Exceptions

**1004.10 Laundry Equipment****1004.11 Toilet and Bathing Facilities**

Exception

**1004.11.1 Grab Bar and Shower Seat****Reinforcement**

Exceptions

**1004.11.1.1 Swing-up Grab Bars**Fig. 1004.11.1.1 Swing-Up Grab Bar for  
Water Closet

Exception

**1004.11.2 Clear Floor Space****1004.11.2.1 Doors**

Exception

**1004.11.2.2 Knee and Toe Clearance****1004.11.3 Toilet and Bathing Areas****1004.11.3.1 Option A**

Exceptions

**1004.11.3.1.1 Lavatory**Fig. 1004.11.3.1.1 Lavatory in Type B  
Units – Option A  
Bathrooms

Exception

**1004.11.3.1.2 Water Closet**Fig. 1004.11.3.1.2 Clearance at Water  
Closets in Type B  
Units**1004.11.3.1.2.1 Location****1004.11.3.1.2.2 Clearance**

Exception

1004.11.3.1.2.2.1 Clearance Width

1004.11.3.1.2.2.2 Clearance Depth

## 1004.11.3.1.2.2.3 Increased Clearance

Depth at Forward

Approach

## 1004.11.3.1.2.2.4 Clearance Overlap

**1004.11.3.1.3 Bathing Fixtures****1004.11.3.1.3.1 Parallel Approach Bathtubs**

Fig. 1004.11.3.1.3.1 Parallel Approach

Bathtub in Type B

Units – Option A

Bathrooms

**1004.11.3.1.3.2 Forward Approach****Bathtubs**

Fig. 1004.11.3.1.3.2 Forward Approach

Bathtub in Type B

Units – Option A

Bathrooms

**1004.11.3.1.3.3 Shower Compartment**

Fig. 1004.11.3.1.3.3 Transfer-Type

Shower

Compartment in

Type B Units

**1004.11.3.2 Option B****1004.11.3.2.1 Lavatory**

Fig. 1004.11.3.2.1 Lavatory in Type B

Units – Option B

Bathrooms

## 1004.11.3.2.1.1 Height

**1004.11.3.2.2 Water Closet****1004.11.3.2.3 Bathing Fixtures****1004.11.3.2.3.1 Bathtub**

Fig. 1004.11.3.2.3.1 Bathroom Clearance

in Type B Units –

Option B

Bathrooms

**1004.11.3.2.3.2 Shower Compartment****1004.12 Kitchens and kitchenettes****1004.12.1 Clearance****1004.12.1.1 Minimum Clearance**

Fig. 1004.12.1.1 Minimum Kitchen

Clearance in Type B

Units

**1004.12.1.2 U-Shaped Kitchens**

Fig. 1004.12.1.2 U-Shaped Kitchen

Clearance in Type B

Units

**1004.12.2 Clear Floor Space****1004.12.2.1 Sink**

Exception

**1004.12.2.2 Dishwasher****1004.12.2.3 Cooktop**

1004.12.2.3.1 Approach

1004.12.2.3.2 Forward approach

1004.12.2.3.3 Parallel approach

**1004.12.2.4 Oven****1004.12.2.5 Refrigerator/Freezer****1004.12.2.6 Trash Compactor**

**SECTION 1005 TYPE C (VISITABLE) UNITS****1005.1 General****1005.2 Unit Entrance****1005.3 Connected Spaces****1005.4 Interior Spaces**

Exception

**1005.5 Circulation Path****1005.5.1 Components****1005.5.2 Walking Surfaces**

## 1005.5.2.1 Clear Width

**1005.5.3 Doors and Doorways**

## 1005.5.3.1 Clear Width

## 1005.5.3.2 Thresholds

Exception

**1005.5.4 Ramps**

Exception

## 1005.5.4.1 Clear Width

**1005.6 Toilet Room or Bathroom****1005.7 Food Preparation Area**

Exception

**1005.8 Lighting Controls and Receptacle Outlets**

Exception

**SECTION 1006 UNITS WITH ACCESSIBLE COMMUNICATION FEATURES****1006.1 General****1006.2 Unit Smoke Detection****1006.3 Building Fire Alarm System****1006.4 Visible Notification Appliances**

## 1006.4.1 Appliances

## 1006.4.2 Activation

## 1006.4.3 Interconnection

## 1006.4.4 Prohibited Use

**1006.5 Unit Primary Entrance**

## 1006.5.1 Notification

## 1006.5.2 Identification

**1006.6 Site, Building, or Floor Entrance**

## 1006.6.1 Public or Common-Use Interface

## 1006.6.2 Unit Interface

**1006.7 Closed-Circuit Communication Systems****CHAPTER 11. RECREATIONAL FACILITIES****SECTION 1101 GENERAL****1101.1 Scope****1101.2 Special Provisions****1101.2.1 General Exceptions****1101.2.2 Area of Sport Activity****1101.2.3 Recreational Boating Facilities****1101.2.4 Exercise Machines and Equipment****1101.3 Protruding Objects**

Exceptions

**SECTION 1102 AMUSEMENT RIDES****1102.1 General****1102.2 Accessible Routes**

Exceptions

**1102.3 Load and Unload Areas****1102.4 Wheelchair Spaces in Amusement Rides****1102.4.1 Floor Surface****1102.4.2 Slope****1102.4.3 Gaps**

Exception

**1102.4.4 Clearances**

Exceptions

## 1102.4.4.1 Width and Length

## 1102.4.4.2 Side Entry

## 1102.4.4.3 Permitted Protrusions in Wheelchair Spaces

Fig. 1102.4.4.3 Protrusions in Wheelchair Spaces in Amusement Rides

**1102.4.5 Ride Entry****1102.4.6 Approach****1102.4.7 Companion Seats**

## 1102.4.7.1 Shoulder-to-Shoulder Seating

Exception

**1102.5 Amusement Ride Seats Designed for Transfer****1102.5.1 Clear Floor Space****1102.5.2 Transfer Height****1102.5.3 Transfer Entry****1102.5.4 Wheelchair Storage Space****SECTION 1103 RECREATIONAL BOATING FACILITIES****1103.1 General****1103.2 Accessible Routes****1103.2.1 Boat Slips**

Exceptions

**1103.2.2 Boarding Piers at Boat Launch Ramps**

Exceptions

**1103.3 Clearances****1103.3.1 Boat Slip Clearance**Fig. 1103.3.1 Boat Slip Clearance  
(Exceptions 1, 2)

Exceptions

**1103.3.2 Boarding Pier Clearances**Fig. 1103.3.2 Boarding Pier Clearance  
(Exception 1)

Exceptions

**SECTION 1104 EXERCISE MACHINES AND EQUIPMENT****1104.1 Clear Floor Space**



**SECTION 1105 FISHING PIERS AND PLATFORMS****1105.1 Accessible Routes**

Exceptions

**1105.2 Railings**

1105.2.1 Height

Exception

1105.2.1.1 Dispersion

**1105.3 Edge Protection**

1105.3.1 Curb or Barrier

1105.3.2 Extended Ground or Deck Surface

Fig. 1105.3.2 Extended Ground or Deck Surface  
at Fishing Piers and Platforms  
(Exception 2)**1105.4 Clear Floor Space****1105.5 Turning Space****SECTION 1106 GOLF FACILITIES****1106.1 General****1106.2 Accessible Routes**

Exception

**1106.3 Golf Car Passages**

1106.3.1 Clear Width

1106.3.2 Barriers

**1106.4 Weather Shelters****SECTION 1107 MINIATURE GOLF FACILITIES****1107.1 General****1107.2 Accessible Routes**

Exception

**1107.3 Miniature Golf Holes**

1107.3.1 Start of Play

1107.3.2 Golf Club Reach Ranges Area

Fig. 1107.3.2 Golf Club Reach Range Area

**SECTION 1108 PLAY AREAS****1108.1 Scope****1108.2 Accessible Routes for Play Areas**1108.2.1 Ground Level and Elevated Play  
Components

1108.2.2 Soft Contained Play Structures

**1108.3 Age Groups**

Exceptions

1108.3.1 Additions

1108.3.2 Play Components

1108.3.2.1 Ground Level Play Components

1108.3.2.1.1 Minimum Number and Types

1108.3.2.1.2 Additional Number and Types

Table 1108.3.2.1.2 Number and Types of  
Ground Level Play  
Components Required to  
be on Accessible Routes

Exception

1108.3.2.2 Elevated Play Components

**1108.4 Accessible Routes Within Play areas****1108.4.1 Accessible Routes**1108.4.1.1 Ground Level and Elevated Play  
Components

Exceptions

1108.4.1.2 Soft Contained Play Structures

Exception

1108.4.1.3 Water Play Components

Exceptions

1108.4.1.4 Clear Width

1108.4.1.4.1 Ground Level

Exceptions

1108.4.1.4.2 Elevated

Exceptions

1108.4.1.5 Ramps

1108.4.1.5.1 Ground Level

1108.4.1.5.2 Elevated

1108.4.1.5.3 Handrails

Exceptions

1108.4.1.5.3.1 Handrail Gripping Surfaces

1108.4.1.5.3.2 Handrail Height

1108.4.1.6 Ground Surfaces

1108.4.1.6.1 Surface Condition

1108.4.1.6.2 Use Zones

**1108.4.2 Transfer Systems**

1108.4.2.1 Transfer Platforms

Fig. 1108.4.2.1 Transfer Platforms

1108.4.2.1.1 Size

1108.4.2.1.2 Height

1108.4.2.1.3 Transfer Space

1108.4.2.1.4 Transfer Supports

1108.4.2.2 Transfer Steps

Fig. 1108.4.2.2 Transfer Steps

1108.4.2.2.1 Size

1108.4.2.2.2 Height

1108.4.2.2.3 Transfer Supports

**1108.4.3 Play Components**

1108.4.3.1 Turning Space

1108.4.3.2 Clear Floor Space

1108.4.3.3 Play Tables

Exception

1108.4.3.4 Entry Points and Seats

Exception

1108.4.3.5 Transfer Supports

**SECTION 1109 SWIMMING POOLS, WADING POOLS, HOT TUBS AND SPAS****1109.1 General****1109.1.1 Swimming pools**

Exceptions

**1109.1.2 Wading pools****1109.1.3 Hot tubs and Spas**

Exception

**1109.2 Pool Lifts****1109.2.1 Pool Lift Location**

Exceptions

**1109.2.2 Seat Location**

Fig. 1109.2.2 Pool Lift Seat Location

**1109.2.3 Clear Deck Space**

Fig. 1109.2.3 Clear Deck Space at Pool Lifts

**1109.2.4 Seat Height**

Fig. 1109.2.4 Pool Lift Seat Height

**1109.2.5 Seat****1109.2.6 Footrests and Armrests**

Exception

**1109.2.7 Operation****1109.2.8 Submerged Depth**

Fig. 1109.2.8 Pool Lift Submerged Depth

**1109.2.9 Lifting Capacity****1109.3 Sloped Entries****1109.3.1 Sloped Entry Route**

Exception

**1109.3.2 Submerged Depth**

Fig. 1109.3.2 Sloped Entry Submerged Depth

**1109.3.2.1 Swimming Pools****1109.3.2.2 Wading Pools****1109.3.3 Handrails**Fig. 1109.3.3 Handrails for Sloped Entry  
Exceptions**1109.4 Transfer Walls****1109.4.1 Clear Deck Space**

Fig. 1109.4.1 Clear Deck Space at Transfer Walls

**1109.4.2 Height**

Fig. 1109.4.2 Transfer Wall Height

**1109.4.3 Wall Depth and Length**

Fig. 1109.4.3 Depth and Length of Transfer Walls

**1109.4.4 Surface****1109.4.5 Grab Bars**

Fig. 1109.4.5 Grab Bars for Transfer Walls

**1109.5 Transfer Systems****1109.5.1 Transfer Platform**

Fig. 1109.5.1 Size of Transfer Platform

**1109.5.2 Transfer Space**

Fig. 1109.5.2 Clear Deck Space at Transfer Platform

**1109.5.3 Height****1109.5.4 Transfer Steps**

Fig. 1109.5.4 Transfer Steps

**1109.5.5 Surface****1109.5.6 Size**

Fig. 1109.5.6 Size of Transfer Steps

**1109.5.7 Grab Bars**

Fig. 1109.5.1 Grab Bars

**1109.6 Pool Stairs****1109.6.1 Pool Stairs**

Exception

**1109.6.2 Handrails****SECTION 1110 SHOOTING FACILITIES WITH FIRING POSITIONS****1110.1 Turning Space**